

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	544	(220/3.7).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/06 12:31
L2	233	L1 and one	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/06 12:31
L3	169	2 and (thread or threaded or threadedly)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/06 12:31
S1	35	("1775665" "2272846" "2531698" "2757817" "3289852" "3365156" "3701451" "3834658" "3917899" "4062470" "4417373" "4443654" "4634015" "4747506" "4971280" "4988832" "5012043" "5042673" "5171939" "5289934" "5466886" "5683005" "5931325" "5967354" "6112927" "0916436").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 17:15
S2	544	(220/3.7).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 15:16
S3	22	("2989206").URPN.	USPAT	OR	ON	2005/10/05 14:46
S4	13	("2378861").URPN.	USPAT	OR	ON	2005/10/05 15:09
S5	22	("2989206").URPN.	USPAT	OR	ON	2005/10/05 15:11
S6	1039	"S3" and (groove with projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:13
S7	1613	"S2" and (groove with projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:14
S8	609	"S2" and (groove near3 projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:14
S9	544	(220/3.7).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/06 12:31
S10	544	S9	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:16

S11	1	S9 and (groove near3 projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:16
S12	1	S9 and (groove with projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 15:16
S13	6	S9 and ((groove or slot or channel) with projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 16:59
S14	350	(174/57).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 16:33
S15	0	("12and(threadorthreadedorthreade dly)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 16:33
S16	146	S14 and (thread or threaded or threadedly)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 16:33
S17	12	("1197644" "2265926" "2378861" "4023697" "4927039" "5054956" "5402902").PN. OR ("5975323").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 16:51
S18	177	S9 and (groove or slot or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 17:43
S19	355	(220/3.3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 17:27
S20	194	S19 and (groove or slot of channel or projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 17:30
S21	31	S20 and (guide or guidance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 17:28
S22	633	(220/3.9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 17:43

S23	233	S22 and (groove or slot or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 17:44
S24	32	("3268189" "3684819" "3770873").PN. OR ("4134636"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:58
S25	12245	junction adj box	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:58
S26	3336	S25 and extension	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:58
S27	2606	S26 and (groove or notch or channel or slot or projection)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:59
S28	1515	S27 and (thread or threaded or threadedly)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:59
S29	1111	S27 and (guiding or guide or guidance)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:05
S30	4822	groove adj notch	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:05
S31	13101	groove near2 notch	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:05
S32	3662	S31 and (container or box or receptacle)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:06
S33	1564	S32 and (thread or threaded or threadedly)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:07
S34	663	S33 and (adjust or adjustable)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:07
S35	12	("1197644" "2265926" "2378861" "4023697" "4927039" "5054956" "5402902").PN. OR ("5975323").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 18:14
S36	1083	(220/23.87).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 19:18
S37	265	S36 and (groove or notch or channel or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:06

S38	62	S37 and projection	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:06
S39	1591	(220/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/05 18:55
S40	17	S39 and ((groove or notch or channel) near3 projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 18:58
S41	52	S39 and ((groove or notch or channel or slot) with projection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 18:58
S42	45	S37 and (guide or guiding or guidance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:02
S43	305	S36 and (groove or notch or channel or slot or rib)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:06
S44	100	S37 and (projection or rib)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:06
S45	8	S36 and (tongue near2 groove)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:19
S46	6	S9 and (tongue near2 groove)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/05 19:20